

TABLE OF CONTENTS

FOREWORD	1
THE AUTHOR	2
ABSTRACT	3
INTRODUCTION	4
SYSTEMATIC TREATMENT OF HOST ANIMALS	4
HIGHER SYSTEMATICS OF ACARI	5
ECOLOGICAL GROUPING OF ACARINE PARASITES	6
VALUE OF THE TROPICAL RAIN FOREST	6
THE CHANGING ENVIRONMENTAL SCENE	7
IMR ANIMAL TRAPPING AND COLLECTION SITES	14
DEGREE OF "HERDING" AND CONTACT BETWEEN HERDS	15
TICK-BORNE ZONOSEs, AN ECOLOGICAL PERSPECTIVE	16
UP-DATE OF SPECIES STATUS AND DISTRIBUTION OF MALAYSIAN TICKS	16
LIFE-CYCLE AND PATTERN OF PARASITIZATION OF TICKS	17
HISTORICAL BACKGROUND ON STUDIES OF <i>DERMACENTOR</i> AT THE IMR	18
SIMPLE KEY TO MALAYSIAN <i>DERMACENTOR</i> SPECIES	21
TICK-BORNE VIRAL DISEASES	27
KYASANUR FOREST DISEASE, INDIA	27
LANGAT VIRUS, MALAYSIA	28
LANJAN VIRUS (LJN), MALAYSIA	29
OTHER TICK-BORNE VIRUSES	29
ECOLOGY OF <i>IXODES GRANULATUS</i> SUPINO	29
TICK-BORNE RICKETTSIAE	31
ROCKY MOUNTAIN SPOTTED FEVER	31
BOUTONNEUSE FEVER OR INDIAN TICK TYPHUS	31
OCCURRANCE OF Q-FEVER IN MALAYSIA	32
HUMAN TICK-CAUSED OTOACARIASIS	32

TICK PARALYSIS	35
LYME DISEASE	35
HUMAN TICK BITES WITHOUT CLINICAL MANIFESTATION	36
SPECIES OF TICKS COLLECTED BY SWEEPING VEGETATION	36
SCRUB TYPHUS	37
HISTORICAL BRIEF ON SCRUB TYPHUS	38
BIOTOPE OF THE VECTOR SPECIES AND TRANSMISSION OF DISEASE	43
ECOLOGICAL GROUPING OF CHIGGERS AND EPIDEMIOLOGICAL IMPORTANCE	51
SCRUB-ITCH OR TROMBIDIOSIS	53
SCRUB-ITCH CHIGGERS AND POTENTIALS IN MALAYSIA	55
ASTIGMATID MITES OF ZOO NOTIC IMPORTANCE	56
SCABIES AND <i>SARCOPTES SCABIEI</i> (DEGEER)	56
ARE HUMAN AND ANIMAL SCABIES MITES SEPARATE SPECIES?	58
MANGE MITES OF THE GENUS <i>KNEMIDOCOPTES</i>	60
MANGE CAUSED BY <i>NOTOEDRES CATI</i> (HERING)	60
MITES OF THE SUBORDER MESOSTIGMATA	63
MACRONYSSID MITES BITING HUMANS	63
HOST DISTRIBUTION OF MITES OF THE FAMILY LAELAPIDAE	66
DISCUSSION AND CONCLUSION	69
IMPORTANCE OF MIGRATORY BIRDS IN DISPERSION OF PARASITES	71
DISPERSAL OF PARASITES BY BATS	73
THE IMPORTANCE OF SYSTEMATICS AND ECOLOGY OF THE ACARI	73
THE RESPLENDENT MALAYSIAN RAIN FOREST	74
POPULATION GROWTH AND CLIMATE CHANGE	75
EFFECT OF GLOBAL WARMING	77
EMERGING DISEASES	78
IMPORTANCE OF FUNDAMENTAL SCIENTIFIC RESEARCH	78
EARLIER ACCOUNTS	79
ACKNOWLEDGEMENTS	80
REFERENCES	83

TABLE OF FIGURES

FIGURE 1A – VALUE OF RAINFOREST	6
FIGURE 1B – SCRUB HABITAT	8
FIGURE 2 – DR MCCLURE’S TREE SHOWING PLATFORM	9
FIGURE 3 – ONE OF 3 SECTIONS OF RAIN FOREST CANOPY SEEN FROM MCCLURE’S PLATFORM	10
FIGURE 4 – DISTRIBUTION PATTERN OF MAMMALS BY HABITATS	11
FIGURE 5 – OIL PALM PLANTATION (ENDEMIC FOR SCRUB TYPHUS)	13
FIGURE 6 – THE CHANGING ENVIRONMENTAL SCENE	13
FIGURE 7 – AN EXAMPLE OF EFFECTS ON DEFORESTATION AND SETTLEMENT	15
FIGURE 8 – TICK-HOST ASSOCIATIONS	18
FIGURE 9 – A QUESTING <i>DERMACENTOR</i> TICK RESTING ON THE TIP OF A LEAF IN THE FOREST	22
FIGURE 10 – FIVE FED ♀ <i>DERMACENTOR</i> “ <i>AURATUS</i> ” AND 1 ♀ <i>AMBLIOMMA</i> <i>TESTUDINARIUM</i>	22
FIGURE 11 – <i>DERMACENTOR ATROSIGNATUS</i>	23
FIGURE 12 – <i>DERMACENTOR STEINI</i>	24
FIGURE 13 – <i>DERMACENTOR COMPACTUS</i>	25
FIGURE 14 – <i>DERMACENTOR AURATUS</i>	26
FIGURE 15 – <i>DERMACENTOR</i> NYMPHS AND 1 ♀ <i>IXODES GRANULATUS</i> FEEDING ON EAR OF FOREST RAT	27
FIGURE 16 – <i>HAEMAPHYSALIS</i> AND <i>DERMACENTOR</i> NYMPHS ON HEAD REGION OF A FOREST RAT.	27
FIGURE 17 – ARGAS PUSILLUS CRAWLING ON HUMERUS OF BAT	37
FIGURE 18 – LAYING OF THE BOGUY OF SCRUB TYPHUS TO REST	39
FIGURE 19 – LIFE- CYCLE OF CHIGGERS	44
FIGURE 20 – LIFE-CYCLE OF <i>LEPTOTROMBIDIUM</i> SPECIES, THE VECTORS OF SCRUB TYPHUS	45
FIGURE 21 – QUESTING <i>LEPTOTROMBIDIUM</i> ON DEAD LEAF	46
FIGURE 22 – LARVAE OF TROMBICULID MITES, CHIGGERS (<i>L. DELIENSE</i>) FEEDING ON PINNA OF RAT	46

FIGURE 23 – SQUASH PREPARATION ON MOUNTED SLIDE SHOWING FEEDING TUBE OR STYLOSTOME,	47
FIGURE 24 – FED CHIGGERS, <i>L. DELIENSE</i> DROPPED FROM RAT	48
FIGURE 25 – NYMPHOPHANES OF TROMBICULID MITES, SHEDDING OF LARVAL PELTS SEEN	48
FIGURE 26 – UNFED 8-LEGGED NYMPH OF TROMBICULID MITE MOUNTED ON SLIDE (3-4 MM)	49
FIGURE 27 – AN UNFED LARVA OF <i>LEPTOTROMBIDIUM</i> SP. MOUNTED ON SLIDE (220 µM)	49
FIGURE 28 – SPERMATOPHORE OF <i>BLANKAARTIA ACUSCUTELLARIS</i> DEPOSITED BY MALE ON SOIL.	49
FIGURE 29 – <i>BLANKAARTIA ACUSCUTELLARIS</i> ADULTS OF SCRUB-ITCH CHIGGERS	50
FIGURE 30 – ADULTS OF <i>LEPTOTROMBIDIUM DELIENSE</i> AND EGGS	50
FIGURE 31 – ECOLOGICAL CLASSIFICATION OF THE 158 SPECIES OF CHIGGERS FROM P. MALAYSIA.	52
FIGURE 32 – DISTRIBUTION OF MALAYSIAN GENERA OF CHIGGERS BY ECOLOGICAL GROUPS I – VII	54
FIGURE 33 – <i>SARCOPTES SCABIEI</i> , SCABIES MITE	56
FIGURE 34 – CUTICULAR SETAE ON DORSUM OF <i>S. SCABIEI</i>	59
FIGURE 35 – <i>LEPTOTROMBIUM DELIENSE</i> SHOWS DS ARRANGEMENT	60
FIGURE 36 – <i>KNEMIDOCOPTES MUTANS</i> ♀, THE SCALY LEG MITE OF DOMESTIC AND WILD BIRDS	61
FIGURE 37 – <i>NEOCNEMIDOCOPTES LAEVIS</i> , DEPLUMING ITCH MITES OF POULTRY	61
FIGURE 38 – <i>NOTOEDRES CATI</i> (HERING).	62
FIGURE 39 – <i>ORNITHONYSSUS SYLVIARUM</i>	64
FIGURE 40 – <i>ORTHONYSSUS BACOTI</i> , TROPICAL RAT MITE	64
FIGURE 41 – <i>ORNITHONYSSUS BURSA</i> , THE TROPICAL FOWL MITE.....	65
FIGURE 42 – <i>LAELAPS ECHIDNANUS</i> ♀, COMMON HARD MITE OF FOREST RATS.....	67
FIGURE 43 – <i>LEALAPS NUTTALLI</i> , COMMON HARD MITE OF HOUSE AND FIELD RATS, RATTUS SPECIES.	67
FIGURE 44 – DISTRIBUTION OF MESOSTIGMATA ON FOREST RATS, SQUIRRELS AND A FLYING SQUIRREL	68
FIGURE 45 – PICTURE OF <i>HYLOPETES LEPIDUS</i>	70
FIGURE 46 – DR H. ELIOT MCCLURE, IN HIS BIRD MIGRATORY MOBILE LABORATORY	72